

Case Report

Open Access

Eosinophilia With Respiratory Symptoms and Rash: A Diagnostic Challenge

Warda Amin

Pediatrician, Sindh Government Children Hospital Karachi, Pakistan.

Abstract

Toxocariasis is a parasitic infection caused by the larvae of *Toxocara canis* or *Toxocara cati*, commonly transmitted through ingestion of soil contaminated with infected animal feces. This infection is common among children due to high chances of coming across the contaminated physical surroundings.

Keywords: toxocara; eosinophilia; fever; hepatosplenomegaly

Introduction

Toxocariasis is a parasitic infection caused by the larvae of *Toxocara canis* or *Toxocara cati*, commonly transmitted through ingestion of soil contaminated with infected animal feces. This infection is common among children due to high chances of coming across the contaminated physical surroundings [1]. The larvae may move to other parts of the body and present various clinical manifestations, particularly visceral larva migrans (VLM) that associated with peripheral eosinophilia, fever and hepatosplenomegaly [2]. Nevertheless, there is significant variability of the clinical manifestations which complicates the diagnosis especially in patients with no fever [3]. Here, we report a case of a 2-year-old boy with the clinical features of persistent eosinophilia, recurrent rash, and respiratory symptoms, Tyler. His case states that parasitic infections such as toxocariasis should be considered when clients present with eosinophilia since standard treatment of these symptoms may not alleviate the situation.

Objectives

In this case report we will discuss the clinical presentation, diagnostic workup, and treatment approach, while highlighting key **learning points** relevant to managing paediatric toxocariasis.

Case Description

Tyler was admitted with an increased eosinophil count in his Full Blood Count (FBC) and a history of recurrent rash (hives) and respiratory distress.

History of Present Illness

Tyler, a 2-year-old child, was transferred from peripheral hospital with concerns about persistent eosinophilia. One month before admission, he experienced a rash (hives) all over his body and increased work of breathing. He was initially diagnosed with pneumonia and treated with antibiotics during a 3-day hospital stay. Ten days later, he had another episode of rash and respiratory distress, diagnosed as an acute wheezy episode, for which he was treated with antibiotics, salbutamol nebulization, and an inhaler. During both episodes, he did not have a fever. One week before admission to CHI Crumlin, Tyler presented with fever and a sore throat. He was started on IV Co-Amoxiclav and referred to CHI due to persistent eosinophilia.

Physical Examination

Upon examination, the child was active and alert. The systemic examination was unremarkable, except for enlarged, hyperaemic tonsils. There was a mild, insignificant maculopapular rash on the abdomen.

Table 1: Clinical Investigations

Test	Result	Normal Range
HB	99 g/L	120-160 g/L
Platelets (PLTS)	847 x10 ⁹ /L	150-400 x10 ⁹ /L
WBC	26.1 x10 ⁹ /L	4.0-11.0 x10 ⁹ /L
- Neutrophils	8.22 x10 ⁹ /L	2.0-7.0 x10 ⁹ /L
- Lymphocytes	7.02 x10 ⁹ /L	1.5-3.5 x10 ⁹ /L

- Eosinophils	8.87 x10 ⁹ /L	0.04-0.4 x10 ⁹ /L
- Monocytes	1.72 x10 ⁹ /L	0.2-0.8 x10 ⁹ /L
- Basophils	0.26 x10 ⁹ /L	0.02-0.1 x10 ⁹ /L
CRP	11 mg/L	<10 mg/L
Ferritin	49.4 ng/mL	30-400 ng/mL
ESR	47 mm/hr	<20 mm/hr
IgE	321 IU/mL	<100 IU/mL
TOXOCARA ELISA	Positive (2.36)	Negative
TOXOCARA Western Blot	Positive (5 bands)	Negative
CTD Screen	6.70 HIGH	0.00-0.69
Anti-RNP	7.90 HIGH	0.00-4.90
CXR	Normal	-
US Abdomen	Hepatosplenomegaly with multiple hypoechoic nodules	-

Radiological Studies

Chest X-Ray (CXR): Normal

Ultrasound (US) Abdomen

Hepatosplenomegaly with multiple hypoechoic nodules in the liver. These findings are consistent with visceral larva migrans but are nonspecific, and other pathologies cannot be ruled out. Based on the clinical presentation, toxocariasis is the most likely diagnosis. Allergen Testing: Allergen testing for horse dander, mixed tree pollens, mould mix was negative.

Diagnosis

Toxocariasis

Visceral Larva Migrans

Recurrent Eosinophilia

Consultations

Infectious Disease Team: Advised starting Albendazole and steroids.

Rheumatology Team: Recommended a repeat CTD screen; no history of rash or arthritis.

Ophthalmology Review: Normal, no abnormal findings.

Treatment and Medications on Discharge

Albendazole: 400 mg P/O BD for 5 days

Prednisolone: 6 mg P/O OD for 5 days

Follow-up Plan: Follow-up at the local hospital after discharge.

Discussion

This case highlights the importance of considering **toxocariasis** in pediatric patients presenting with persistent eosinophilia and recurring respiratory symptoms, even in the absence of fever. Tyler's initial diagnoses of pneumonia and wheezy episodes, without improvement despite appropriate treatment,

point to the need for a thorough investigation when common causes do not fully explain the clinical presentation [4]. Positive Toxocara serology and characteristic findings on abdominal ultrasound confirmed **visceral larva migrans (VLM)** as the underlying cause. Persistent eosinophilia requires an **extensive differential diagnosis**, involving parasitic, autoimmune, and allergic conditions [5]. A systematic approach, with detailed serological and radiological investigations, as demonstrated in this case, is critical to identifying the cause. The multidisciplinary involvement of infectious disease, rheumatology, and ophthalmology teams allowed for a comprehensive assessment, ruling out other possible conditions like connective tissue diseases [6,7]. Treatment with **Albendazole and steroids** proved effective in managing toxocariasis, underscoring the importance of early antiparasitic therapy in such cases [8]. The follow-up care plan highlights the necessity of monitoring both the patient's response to treatment and any potential complications.

Summary of Learning Points

In children with toxic eosinophilia and a history of respiratory distress toxocariasis should be considered when other causes of eosinophilia have been ruled out. The laboratory diagnosis can be confirmed by positive Toxocara ELISA and Western Blot test. Hepatomegaly together with splenomegaly and multiple hypoechoic nodules in the liver are considerate features of VLM; however, these findings should be interpreted in conjunction with clinical and other laboratory data. So, there are always tasks to identify parasitic diseases (such as toxocariasis in the described case), autoimmune diseases, and allergies. Serologic, immunologic, and radiologic tests must be included for diagnosing the condition.

Infection disease, rheumatology, and ophthalmology teams worked in coordination so that no other underlying causes were excluded in such a complex case, including connective tissue disease and ocular involvement. The management of toxocariasis with Albendazole and steroids shows the efficacy of antiparasitic treatment in the treatment of parasitic diseases such as toxocariasis which cause rapid deterioration of symptoms if left untreated. This is important since treatment response can be overseen, especially when the patient is waiting for other tests such as allergen tests. Closely monitoring the counts of eosinophils and imaging may be necessary for the evaluation of the response of the patient to therapy and whether VLM has resolved completely.

References

1. Inagaki K, Kirmse B, Bradbury RS, Moorthy RS, Arguello I, McGuffey CD, Tieu B, Hobbs CV. (2019). Case report: Ocular toxocariasis: A report of three cases from the Mississippi Delta. *Am J Trop Med Hyg*, 100(5):1223-1226.
2. Liu EW, Chastain HM, Shin SH, Wiegand RE, Kruszon-Moran D, Handali S, Jones JL. (2018). Seroprevalence of antibodies to *Toxocara* species in the United States and associated risk factors, 2011–2014. *Clin Infect Dis*, 66:206-212.
3. Woodhall DM, Garcia AP, Shapiro CA, Wray SL, Shane AL, Mani CS, Stimpert KK, Fox LM, Montgomery SP. (2017). Assessment of U.S. pediatrician knowledge of toxocariasis. *Am J Trop Med Hyg*, 97:1243-1246.
4. Chen J, Liu Q, Liu GH, et al. (2018). Toxocariasis: a silent threat with a progressive public health impact. *Infect Dis Poverty*, 7:59.
5. Singh SP, Singh VK, Singh J, Singh S. (2022). Neglected parasitic infection: Ocular toxocariasis case report. *IP Int J Ocul Oncol Oculoplasty*, 8(1):78-79.
6. Arevalo JF, Espinoza JV, Arevalo FA. Ocular toxocariasis. (2013). *J Pediatr Ophthalmol Strabismus*, 50(2):76-86.
7. Geada S, Fonseca C, Proença R. (2023). Live larva in ocular toxocariasis. *JAMA Ophthalmol*, 141(8).
8. Deshayes S, Bonhomme J, de La Blanchardière A. (2016). Neurotoxocariasis: A systematic literature review. *Infection*, 44:565-574.

Cite this article: Amin A. (2025). Eosinophilia With Respiratory Symptoms and Rash: A Diagnostic Challenge. *Journal of Clinical Paediatrics and Child Health Care*, BioRes Scientia Publishers. 2(1):1-3. DOI: 10.59657/2997-6111.brs.25.015

Copyright: © 2025, Warda Amin, Norato-Castro P. this is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Article History: Received: January 02, 2025 | Accepted: January 17, 2025 | Published: January 22, 2025